



PLASTER MACHINE

READY - MIX

INNOVATIVE - QUALIFIED - TRUSTED

**SCREED • PLASTER • GROUT • CONCRETE • SHOTCRETE • PLANT
BLASTING • ROADHEADER • ATEX**

www.tekkok.com.tr

TEKKÖK is a registered trademark

TEKKÖK®

READY-MIX PLASTER MACHINE

The building constructions are getting larger and higher worldwide. Ready-mix plaster machines - screw-type mixer-pumps - are becoming more popular everyday. It is more profitable and efficient to use a plaster machine than plastering by hand at any construction. As a brand name **TEKKÖK®** means innovation, quality and trust.

FULL AUTOMATIC WITH MIXER

The user feeds the hopper with dry materials while the mixer gets them in doses. It prevents to add less or more materials to the mixer. It mixes them with a stable ratio. The mixture becomes homogenous. It saves the rotor-stator lifetime and prevents chokings.

CONTINUOUS MIXER and PUMP: POPULAR TECHNOLOGY

QUICK - PRACTICAL - EFFICIENT

It is the unique integration of a continuous mixer with a screw pump for mixing, pumping and spraying ready-mix plaster materials. It can mix and pump all kinds of ready-mix materials even the ones with sand with the appropriate grain size - which will not block the rubber hose with 25 mm inner diameter. The continuous mixer is designed to make homogenous mixture. It saves the pump and hose from getting choked up by the poorly mixed plaster. It is powerful enough to continue pumping during the stop and re-starts. The machine applies the plaster smoothly to the surface. The plaster does not fall off the surface through the flawless and powerful air flow of the built-in air compressor.

TEKKÖK® READY-MIX PLASTER MACHINE Mixer and Pump

www.tekkok.com.tr

**MADE IN
Turkey**
Discover
the potential

**150 LITRES
L A R G E
M I X E R**



**ROBUST
&
DURABLE
MOTORS**

**0-4 mm
SUPPORT
LONGER
LIFETIME**

**FLAWLESS
&
POWERFUL
AIR FLOW**

**TOP
QUALITY
ELECTRIC
P A N E L**

**DURABLE
CASTER
WHEELS
EASIER
M O V E**



GENERAL FEATURES

It is one of the most successful plaster machines in our product range. It is designed with two separate units; Continuous mixer and screw pump. These two units work in perfect harmony for the effective and user-friendly operation. It is ideal to apply pre-mixed or ready-mix plaster and mortar with with grain size up to 4 mm. The continuous mixer is able to make homogenous mixture even with the challenging ingredients such as sand. The pumping is more smooth and stable as a result. The ingredients are automatically mixed with water in the continuous mixer and delivered to the pump. The mixture is pumped through the hose, and sprayed onto the surface.

It is ideal for mixing, conveying and spraying all kinds of pre-mixed or ready-mix plaster and mortar; internal plasters (gypsum/gypsum-lime plaster), external render (lime/cement-lime, cement/lime-sand and insulating plasters) and dry premixed interior and exterior rendering with the appropriate mix design.

TECHNICAL SPECIFICATIONS

Model	PMC-20
Trigger	Electrical, 380 V, 50 Hz
Pump motor	5.5 kw
Mixer motor	2.2 kw
Compressor	250 lt/min @ 6 bar maximum
Water pump	0.55 kw, Automatic, 2.5 bar minimum
Output rate *	22 lt/min
With different rotor-stator	6-35 lt/min
Working pressure **	30 bar
Delivery Distance **	50 m
Max. grain size supported ***	0-4 mm
Mixer volume	100 lt
Mixer filling height	1100 mm
Remote control	Air valve on the spray gun
Emergency stop	Available
Wheel	4 x Caster wheel (one with swivel brake)
Dimensions (WxLxH)	800 x 1200 x 1600 mm
Weight	325 kg

* The rotor-stator is considered as D6-3 for this rate. It may increase or decrease with other rotor-stator.

** It may vary due to the type of the rotor-stator, ingredients and quality of the mixture, grain size and water ratio.

*** The inner diameter of the delivery hose is considered as 25 mm (1").





www.tekkok.com.tr | hetco@tekkok.com.tr

MADE in TURKEY